

## FEATURES & BENEFITS

### CONSTRUCTION

Unit is made of 14 gauge Type 304 stainless steel with a satin finish that resists stains and corrosion, and has soft rounded corners. Unit features vandal-resistant bottom plate and dispensing nozzle.

### EFFICIENT & FLEXIBLE INSTALLATION

Unit is designed for retrofit or new construction applications. No drain required for mounting over existing drinking fountain.

### DURABLE BUILD

Good for outdoor applications where the unit may encounter freezing conditions. Made with 100% Stainless Steel for vandal resistance.

### MOUNTING OPTIONS

Select from mounting plate and back panel models to complete installation. Unit can mount on various wall types.

### VANDAL RESISTANT

The push button and bottom plate are locked in place, discouraging unwanted vandal tampering.



## OPTIONS

- Mounting Plate: Model 6700, in-wall mounting plate for model 1920.
- Mounting Plate: Model 6700R, on-wall mounting plate for model 1920.
- Back Panel: Model BP15, satin finish stainless steel 15 inch back panel for Model 1920.
- Drain Basin: Model 6468 drip tray accessory catches unused bottle filler water.
- Back Panel: Model BP32, satin finish stainless steel 32" back panel for model 1920 bottle filler over a dual fountain.

For more information, visit [www.hawscos.com](http://www.hawscos.com) or call (888) 640-4297.

## SPECIFICATIONS

Model 1920FR vandal-resistant wall mounted freeze-resistant bottle filler can be a stand-alone wall mounted station, or mounted over the 1109FR & 1119FR series fountains. It shall include stainless steel construction, a polished chrome-plated brass push-button operated by a pneumatic valve installed on the inside wall where room temperatures do not drop below 50° F (10° C), and self-draining water lines which protect the unit from freezing.




**This product requires a mounting plate; either the Haws model 6700 in-wall or the 6700R on-wall support plate.**

**REQUIRES MODEL 6521FR PRICED SEPARATELY**

## APPLICATIONS

This type of wall mounted bottle filler may be placed in settings such as schools, parks and other outdoor locations where the freezing temperatures may exist. Haws manufactures drinking fountains, faucets and electric water coolers to be lead-free by all known definitions including NSF/ANSI/CAN 61-Section 9, NSF/ANSI/CAN 372, California Proposition 65, and the Federal Safe Drinking Water Act. Product is compliant to California Health and Safety Code 116875 (AB 1953-2006), and NSF/ANSI/CAN 61: Q ≤ 1.






1920FR MOUNTING HOLE LOCATIONS

NOTES:

- 1 THIS BOTTLE FILLER REQUIRES THE USE OF MODEL 6521FR FREEZE RESISTANT VALVE ASSEMBLY (SOLD SEPARATELY OR AS PART OF PRODUCT BUNDLES).
- 2 VALVE ASSEMBLY MUST BE INSTALLED IN A WARM AREA. PROVISIONS SHOULD BE MADE TO ALLOW ACCESS TO THE ACCESS PANEL.
3. SEE SEPERATE INSTALLATION DRAWINGS FOR FOUNTAINS, MOUNTING PLATES, BACKPANELS, AND DRIP TRAY. HOLD ROUGH-IN DIMENSIONS ± 1/8" (3.2mm).
4. WHEN INSTALLING THIS UNIT, LOCAL, STATE OR FEDERAL CODES SHOULD BE ADHERED TO. FOR INSTALLATION HEIGHTS OTHER THAN SHOWN, DIMENSIONS MARKED (\*) MUST BE ADJUSTED ACCORDINGLY.



1455 KLEPPE LANE  
 SPARKS, NEVADA 89431  
 (775) 359-4712 FAX (775) 359-7424  
 E-MAIL: HAWS@HAWSCO.COM  
 WEBSITE: WWW.HAWSCO.COM

CON. NO.	REVISED PER:	BY:	MODEL(S)	PART NUMBER
5081	CON-4798	EV	1920FR	0510000491.D
DRAWN:	DATE:	CHK'D:		REVISION
DS	06/25/16	SS		6
APPROVED:	DATE:	SCALE:	N/A	DRAWING TYPE:
EV	07/08/22			INSTALLATION
		SIZE:	A	SHEET:
				1 OF 3