



New!

Introducing **STAINLESS STEEL** Heavy Duty - Wall Mount Commercial Faucet


Confused about lead free faucets that actually contain lead? Here's the solution!

Be assured from the start that the faucet you sell is truly lead free...

Introducing the "GREENEST," most economical and truly lead free commercial faucet available to the plumbing trade!

PASCO is proud to introduce its all new
Stainless Steel Heavy Duty Wall Mount Commercial Faucet.

- 100% Stainless Steel is good for the plumber as well as the environment.
- Stainless Steel is made from 60% (or more) recycled material which comes from manufacturing processes as well as "end of life" products.
- Stainless Steel is 100% lead free, which far exceeds the requirements of CA AB1953 and Vermont S.152. These laws actually ALLOW faucets to contain lead.
- No chrome plating. Although the current "lead free" brass faucets on the market may contain a very small amount of lead, they are still required to be chrome plated. Brass faucets require plating that uses heavy metals, acids and other harmful chemicals which are all disposed of after the plating process.
- It's obvious that Stainless Steel is a superior metal in all uses. The finish will never dull, wear or flake off. The stems of these faucets are ceramic which allows for tremendously long use. The heavy duty spout will stand up to the rigors of use in the commercial installation.
- 1/2" FPT Inlets
- Full flow with a quarter turn of the handle
- Twin seal Stainless Steel tubular swing spout
- 55/64" Female water saver aerator



Compliant **AB 1953**

PART NUMBER	SPOUT LENGTH	ADJUSTS
33910	10"	7-1/2" to
33912	12"	8-1/2"



Special Duty Commercial Faucets

Highest Quality • Durable • Reliable • Economical

Service Sink Faucets - 8" Centers - 8" Spout

- Integral check stems
- 1/2" FPT inlets
- Satin chrome plated brass
- 3/4" Male hose thread on spout
- Chrome plated brass hinged wall support
- 7-1/2" to 8-1/2" Wall centers



33110-B Wall Bracket only

330 Series Stem

33029 - Handle

33101 - Brass Slide for Vacuum Breaker

33103 - Plastic Insert for Vacuum Breaker

PART NUMBER
33110

Service Sink Faucets - 8" Centers - 2-1/2" Spout

Same features as above model, with the exception of no hinged wall support.



330 Series Stem

33029 - Handle

PART NUMBER
33109

Mop Sink Hose

- 3/4" female hose thread
- 5/8" x 56" braided hose (shortened photo)
- Hose and Bracket sold separately




PART NUMBER
489

Made in U.S.A.

Mop Sink Hose Bracket

- Cam action wall bracket to hold hose
- With mounting screws



PART NUMBER
488



Institutional Quality - Specification Grade

Contemporary Design • Individually Pressure Tested

Heavy Duty - Wall Mount - 8" Centers

- Chrome plated brass
- 1/2" FPT Inlets
- Twin seal chrome plated brass tubular swing spout
- 55/64" Female water saver aerator
- Color coded handles
- Full flow with a quarter turn of the handle

330 Series Stem
 33029 - Handle
 Use Swing or
 Goose Spout



PART NUMBER	SPOUT LENGTH	ADJUSTS
33006	6"	7-1/2" to 8-1/2"
33008	8"	
33010	10"	
33012	12"	
33014	14"	

WITH FEMALE INLETS W/STOPS		
33206	6"	4-1/2" to 12-1/2"
33208	8"	
33210	10"	
33212	12"	
33214	14"	

Heavy Duty - Deck Mount - 8" Centers

- Chrome plated brass
- 1/2" FPT Inlets
- Twin seal chrome plated brass tubular swing spout
- 55/64" Female water saver aerator



PART NUMBER	LENGTH
33410	10"
33412	12"

Medium Duty - Wall Mount - 8" Centers

- Chrome plated brass
- 1/2" FPT inlets
- Twin Seal chrome plated brass tubular swing spout
- 55/64" Female water saver aerator
- Color coded handles

333 Series Stems
 33029 - Handle
 Use Swing or Goose Spout



PART NUMBER	SPOUT LENGTH	ADJUSTS
33306	6"	7-1/2" to 8-1/2"
33308	8"	
33310	10"	
33312	12"	
33314	14"	



Institutional Quality - Specification Grade

Contemporary Design • Individually Pressure Tested

Compliant

AB 1953

Heavy Duty - Wall Mount - 8" Centers

- Chrome plated brass
- 1/2" FPT Inlets
- Full flow with a quarter turn of the handle
- Twin seal chrome plated brass tubular swing spout
- 55/64" Female water saver aerator



PART NUMBER	SPOUT LENGTH	ADJUSTS
86006	6"	7-1/2" to 8-1/2"
86008	8"	
86010	10"	
86012	12"	
86014	14"	

Medium Duty - Wall Mount - 8" Centers

- Chrome plated brass
- 1/2" FPT Inlets
- Twin seal chrome plated brass tubular swing spout
- 55/64" Female water saver aerator



PART NUMBER	SPOUT LENGTH	ADJUSTS
86306	6"	7-1/2" to 8-1/2"
86308	8"	
86310	10"	
86312	12"	
86314	14"	

Heavy Duty - Deck Mount - 8" Centers

- Chrome plated brass
- 1/2" FPT Inlets
- Twin seal chrome plated brass tubular swing spout
- 55/64" Female water saver aerator



PART NUMBER	LENGTH
86410	10"
86412	12"



Highest Quality • Durable • Reliable • Economical

Heavy Duty - Deck Mount - 4" Centers

- Chrome plated brass
- 1/2" FPT inlets
- Satin finished brass water ways
- 55/64" Female water saver aerator
- Twin Seal chrome plated brass tubular swing spout



330 Series Stems
 33029 - Handle
 Use Swing or
 Goose Spout

PART NUMBER	SPOUT LENGTH
33105	6"
33106	12"
33105-G	6" Gooseneck

Medium Duty - Deck Mount - 4" Centers - Sink or Laundry Tray

- Same features as above model but a lighter pattern style and plain brass water ways.
- Supplied with hose thread adapter



330 Series Stems
 33160 - Set of Handles

PART NUMBER	SPOUT LENGTH
33151	6" Gooseneck
33152	6"
33153	8"
33154	10"
33155	12"
33156	14"

Medium Duty - Wall Mount - 4" Centers

- Same features as above models but a lighter pattern style and plain brass water ways



330 Series Stems
 33160 - Set of Handles

PART NUMBER	SPOUT LENGTH
33161	6" Gooseneck
33162	6"
33163	8"
33164	10"
33165	12"
33166	14"



Commercial Faucet Replacement Parts

Heavy Duty Gooseneck Spout

- Twin Seal -Tubular - Chrome plated brass
- 55”/64” Female water saver aerator



PART NUMBER	LENGTH
33831	6”
33832	9”
33833	12”

Heavy Duty Swing Spout

- Twin Seal -Tubular
- Chrome plated brass
- 55”/64” Female water saver aerator



PART NUMBER	LENGTH
33806	6”
33808	8”
33810	10”
33812	12”
33814	14”

*33805 O-Ring
only for spout
- 2 required

Heavy Duty Swing Spout

- Twin seal - Tubular
- Chrome plated brass
- 55/64” Female water saver aerator



PART NUMBER	LENGTH
86806	6”
86808	8”
86810	10”
86812	12”
86814	14”

Compliant AB 1953

18” Heavy Duty Double Swing Spout

- Twin Seal - Tubular - Chrome plated brass
- 55”/64” Female water saver aerator



PART NUMBER
33850

Heavy Duty Single Handle Wall Mount Faucet - Wok Filler



- Swing style
- Pot filler
- Cold water only
- Chrome plated brass
- Twin Seal tubular spout
- 1/2” MPT inlet

PART NUMBER	LENGTH
33112	18”



Commercial Faucet Replacement Parts

Replacement Handles

20 Spline - Cold or Hot, Sold by the each



Sold Individually

PART NUMBER
33029

Blade Style Handles

- 20 Spline - Cold or Hot, Sold by the each,
- 4-1/2" Length



Sold Individually

PART NUMBER
33104

Replacement Stems



330 Series

331 Series

333 Series

PART NUMBER	FITS FAUCET SERIES	TYPE
33027*	330	Cold
33028*	330	Hot
33158	331	Cold
33159	331	Hot
33320	333	Cold
33321	333	Hot

*Fits T&S

Female Supply Inlet Couplings

- Chrome plated brass - 1/2" FPT inlets
- 33350 and 33352 fit heavy duty wall mount faucets
- 33351 fits moderate duty wall mount faucets



PART NUMBER	FITS	ADJUSTS
33350	Heavy Duty	7-1/2" to 8-1/2"
33351	Medium Duty	7-1/2" to 8-1/2"
33352	Heavy Duty	4-1/2" to 12-1/2" with stops



Commerical Pre-Rinse Assemblies

Chrome Plated Brass • Built for Rugged Use

Wall Mount - 8" Centers

Available with either standard 7-1/2" to 8-1/2" adjustable female supply inlet couplings or, with 4-1/2" to 12-1/2" female supply inlet couplings with stops.

- Metal handle - plastic grip spray
- 1/2" FPT inlets
- 3/8" IPS X 24" Chrome plated brass riser
- 38" Stainless steel hose
- 12" Wall bracket
- Food service grade
- Uses 33614 Pre-Rinse Faucet




330 Series Stem
33029 - Handle

Interchanges
with T&S

PART NUMBER	ADJUSTS
33013	7-1/2" to 8-1/2"
33016	4-1/2" to 12-1/2" with stops

Deck Mount

- Metal handle - plastic grip spray
- Fits decks up to 1-1/4" thick
- 1/2" MIP inlets with
- 1/4" IPS tailpiece nipples
- 3/8" IPS X 24" Chrome plated brass riser
- 38" Stainless steel hose
- 12" Wall bracket
- Food service grade
- Uses 33614 Pre-Rinse Faucet



Riser shortened
for photo

330 Series Stem
33029 - Handle

PART NUMBER
33612



Commerical Pre-Rinse Assemblies

Chrome Plated Brass • Built for Rugged Use

Single Deck Mount

- Specify cold or hot handle
- Metal handle - plastic grip spray
- Fits decks up to 1-1/4" thick
- 1/2" IPS inlet with 1/4" IPS tailpiece nipple
- 3/8" IPS X 24" Chrome plated brass riser
- 38" Stainless steel hose
- 12" Wall bracket
- Food service grade
- Uses 33614 Pre-Rinse Faucet



Riser shortened for photo

330 Series Stem
33029 - Handle

PART NUMBER	DESCRIPTION
33100	Cold or Hot

Deck Mount - 8" Centers

- Metal handle - plastic grip spray
- 1/2" FPT inlets
- 3/8" IPS X 24" Chrome plated brass riser
- 38" Stainless steel hose
- 12" Wall bracket
- Food service grade
- Uses 33614 Pre-Rinse Faucet



Riser shortened for photo

330 Series Stem
33029 - Handle

PART NUMBER	DESCRIPTION
33103	8" Centers

Pre-Rinse Spray Assembly Parts

Pre-Rinse Add On Faucet

- Connects to 3/8" pre-rinse riser
- Chrome plated brass
- 3/8" X 2-3/4" MIP inlet
- Fits all manufacturers



PART NUMBER	SPOUT LENGTH
33614	6"
33614-8	8"
33614-10	10"
33614-12	12"

Pre-Rinse Spray Cartridge

Chrome plated brass




PART NUMBER
33019

Replaces T & S

Pre-Rinse Hoses

- Flexible stainless steel
- Food grade inner hose withstands continuous working temperature



PART NUMBER	LENGTH
33044	38"
33060	54"

Pre-Rinse Spring - Riser Nipple & Spring Coupling

Spring shortened for photo



PART NUMBER	DESCRIPTION
33022	L-Spring, 1-1/2" diameter
33023	Spring coupling Chrome plated brass 3/8" coarse thread x 3/8" FIP
33024	3" length 3/8" x 24" CP riser nipple*

*not pictured

Pre-Rinse Spray

- Chrome plated brass
- Metal handle - plastic grip
- Connects directly to hose
- High pressure wash
- Positive shut off
- Stay ring included



PART NUMBER	DESCRIPTION
33018	Complete unit
33020	Bumper ring only
33021	Spray face only
33030	Insulated brass handle

Replaces T & S

Pre-Rinse Wall Bracket & Riser Hook

Chrome plated brass



PART NUMBER	DESCRIPTION
33025	1/2" Wall bracket fits 3/8" riser
33026	3/8" Riser hook



Lever & Twist Commercial Sink Drain

Nickel plated brass body, stainless steel handle, stainless steel strainer, nickel plated brass stopper.
Replaces Franklin, Klein, Chica Faucet, T&S

Lever Handle Drain without Overflow



PART NUMBER	SINK OPENING	DRAIN CONNECTION
33122	3-1/2"	1-1/2"
33123	3-1/2"	2"

Lever Handle Drain with 1-1/4" Overflow Outlet



PART NUMBER	SINK OPENING	DRAIN CONNECTION
33131	3-1/2"	1-1/2"
33125	3-1/2"	2"

Twist Lever Handle Drain without Overflow



PART NUMBER	SINK OPENING	DRAIN CONNECTION
33126	3-1/2"	1-1/2"
33127	3-1/2"	2"

Twist Lever Handle Drain with 1-1/4" Overflow Outlet



PART NUMBER	SINK OPENING	DRAIN CONNECTION
33145	3-1/2"	1-1/2"
33146	3-1/2"	2"


The above drains fit a 3-1/2" sink opening and utilize a 4-1/2" strainer flange.

Commerical Faucets



Combo Lever & Twist Commercial Sink Drain for 3" Sink Openings

New!



33120




33124

- Supplied with tailpiece for either 2" or 1-1/2" drain outlet
- Supplied with an overflow outlet
- A blind cap is also supplied if overflow is not used

PART NUMBER	SINK OPENING	HANDLE
33120	3"	Lever
33124	3"	Twist

Handles and strainer are stainless steel. Drain body and stopper are nickel plated brass



33139

33138

33136

PART NUMBER	DESCRIPTION
33133	Lever Handle
33136	3-1/2" Strainer Flange
33138	3-1/2" Strainer
33139	Stopper with O-Ring
33140	Twist Handle
33143	2" x 1-1/2" Slip Joint Drain Reducer Bushing*
33150	Repair Kit for all drains listed

*not pictured

Commercial Sink Overflow

- Chrome plated brass
- 1-1/4" x 14" x 18" Tube
- 1-1/4" Satin chrome plated elbow
- Stainless steel overflow strainer & screw



PART NUMBER	DESCRIPTION
33141	Strainer with 1-1/4" ELL
33142	1-1/4" x 14" x 18" brass overflow elbow for slip joint connection
33144	Strainer Only
33147	Complete unit as shown



Sink or Laundry Tray Faucet 7-1/2" to 8-1/2" Adjustment

This popular utility faucet can now be wall mounted or deck mounted.

PASCO re-introduces this popular utility faucet which was discontinued by Price Pfister.

- Replaces Price Pfister Beverly laundry tray faucet
- 7" to 9-1/2" wall adjustment
- Chrome plated brass
- 5-1/2" male hose thread spout
- Inlet bodies screw directly onto 1/2" IPS inlet nipples
- Easily adapts to a wide variety of installations



Remove hot side inlet and rotate 90° to change faucet to a deck mount.




Replacement Stem 21-392
Handle 21-210C 21-220H

PART NUMBER
69120

Deck - Patio - Pool - Campground Exposed Shower

New!

- Economical, yet ruggedly constructed for outdoor installations.
- Wall mount
- Chrome Plated Brass
- 7" to 9-1/2" wall adjustment
- Adjustable low flow showerhead
- 6" Adjustable Wall Bracket
- Cross Handles
- 24" Riser
- 1/2" IPS Female Inlets



Replacement Stem 21-392

PART NUMBER
67252

Compliant

AB 1953

Push Button Drinking Fountain

- 3/8" FPT
- Chrome plated brass
- Lead-free cartridges (see 2195)

Replaces HAWS HW5010



PART NUMBER	DESCRIPTION
86194	Bubbler with cartridge

Push Button Drinking Fountain Retro - Fit Kit

Replaces fountains on china fixtures.
Kit Contains:

- #86194 Chrome plated brass drinking fountain with cartridge
- 1/2" x 3/8" x 3-1/2" inlet nipple
- Polished stainless steel flange
- Rosette, locknut & coupling nut
- 1-3/4" cockhole cover

Add any length supply line



PART NUMBER	DESCRIPTION
86197	Retro-fit kit

Self-Closing Drinking Fountain

- 1/2" FPT
- Chrome plated brass
- Flow regulator screw
- Cross handle
- Precision ball bearing actions



replaces part number 2190

PART NUMBER	FPT
86190	1/2"



Push Button Drinking Fountain

- 3/8" FPT
- Chrome plated brass
- Lead-free cartridges
- Replaces HAWS HW5010



PART NUMBER	DESCRIPTION
2194	Bubbler w/lead free cartridge
2195	Lead-free brass replacement cartridges

PART NUMBER	REPAIR PARTS
2194-1	Chrome collar for button
2194-2	Chrome push button
2194-3	Cartridge retention bushing
2194-6	Inlet washer
2194-M	Mouthpiece set

Push Button Drinking Fountain Retro Fit Kit

Replaces fountains on china fixtures

Kit contains:

- # 2194 Chrome plated brass bubbler head with lead-free cartridges
- 1/2" x 3/8" x 3-1/2" inlet nipple
- Polished stainless steel flange
- Rosette, locknut & coupling nut
- 1-3/4" cockhole cover



PART NUMBER	DESCRIPTION
2197	Retro-fit Kit
1270	SS flange only
2187	Brass nipple only
2197-K	Repair kit contains all the above except 2194 Bubbler

Flexiguard Drinking Fountain

- Flexiguard protects against mouth contact injury
- Flexiguard "surrounds" the water outlet with protection for the mouth as well as the upper and lower teeth of the user
- Unique Flexiguard plastic resists degradation from sunlight



PART NUMBER
2199

Flexiguard Drinking Fountain Retro Fit Kit

Replaces fountains on china fixtures

Kit contains:

- #2199 Flexiguard Drinking Fountain
- #2195 lead free cartridge
- 1/2" x 3/8" x 3-1/2" Inlet Nipple
- stainless steel flanges
- Rosette – locknut
- 1-3/4" cockhole cover



PART NUMBER
2198



Pure Flow Drinking Fountain Cartridge

- The simple yet durable design allows thousands of on/off cycles
- Fits similar style of fountains like our 2194 or 86194
- This new design replaces the old style 2195 and 2196 cartridges
- Durable - Lead Free - Easily Adjusted



Replaces:
HAW VRK5010
HALSEY-TAYLOR 15010
TOMLINSON 1016337

To adjust water flow, use the "Serrated Dial Counter."
DO NOT USE A SCREWDRIVER. Position the dial turning clockwise to decrease water flow. To increase water flow, turn the dial in a counter clockwise direction. Note the position of the notch on the dial (if turned past 180° the water flow will start to decrease.)



PART NUMBER
2195

Replacement Parts For Drinking Fountains

for part numbers:

- 2194
- 2197
- 2198
- 2199
- 86194
- 86197

PART NUMBER	DESCRIPTION
2194-1	Chrome collar for button
2194-2	Chrome push button
2194-3	Cartridge retention bushing
2194-6	Inlet washer
2194-M	Mouthpiece set

Remote Bush Button Valve

- Superior quality
- Chrome plated brass button and escutcheon
- 1/4" FPT
- Lead-free cartridge



PART NUMBER
2179

Fountain Bushing & Valve Wrench 2-in-1 Tool

- Tightens or loosens cartridge retaining bushing
- Prevents bushing thread damage which causes leaks



PART NUMBER
7047




Glass Fillers - 3 Styles


The Original



Tall Spout



Long Reach




- Chrome plated brass
- 1/4" or 3/8" compression connection

Compliant
 AB 1953

PART NUMBER	DESCRIPTION
86040	Original - 1/4"
86041	Original - 3/8"
86040TS	Tall Spout - 1/4"
86040LR	Long Reach - 1/4"

Long Reach


- 7/16" Diameter hole required
- 1/4" Compression Connection



PART NUMBER	FINISH
2040-LR	Chrome
2040-LRW	White

Tall Spout

- 7/16" Diameter hole required
- 1/4" Compression Connection



PART NUMBER	FINISH
2040-TS	Chrome
2040-TSW	White

The Original



- 7/16" Diameter hole required
- 1/4" Compression Connection

PART NUMBER	FINISH
2040	Chrome
2040-W	White

- 7/16" Diameter hole required
- 3/8" Compression Connection

PART NUMBER	FINISH
2041	Chrome

Replacement Parts

PART NUMBER	CONNECTION
2039	3-3/4" Stud Extender
2044	Repair Kit
2040-C	1/4" x 3/8" Tubing Reducing Coupling



Self-Closing Valve

- Chrome plated brass
- 1/2" FPT x 1/2" FPT



**PART
NUMBER**
2192

Push Button Self-Closing 90 Degree Valve

- Chrome plated brass
- Use 1/16" Hex key to adjust slow close timing screw. Adjusts closing time from 3 to 15 seconds
- 1/2" FPT inlet and outlet valve only, no nipples



PLEASE NOTE:
USE EITHER PART # 993 FLUSH TUBE
OR # 984 NUT AND FINE THREAD FLUSH
TUBE TO ADAPT THE ABOVE VALVES
INTO FLUSHVALVES.

**PART
NUMBER**
21810

Push Button Self-Closing 180 Degree Valve

- Chrome plated brass
- Use 1/16" Hex key to adjust slow close timing screw. Adjusts closing time from 3 to 15 seconds
- 1/2" FPT inlet and outlet valve ONLY, no nipples



PLEASE NOTE:
USE EITHER PART # 993 FLUSH TUBE OR #
984 NUT AND FINE THREAD FLUSH TUBE
TO ADAPT THE ABOVE VALVES INTO
FLUSHVALVES.

**PART
NUMBER**
21830

Self-Closing Shower Valve

- Chrome plated brass
- 1/2" FPT inlet and outlet



**PART
NUMBER**
2193



Push Button Self-Closing Lavatory Faucet

- Use 1/16" Hex key to adjust slow close timing screw. Adjusts closing time from 3 to 15 seconds
- Plumbers Quality
- Chrome plated brass
- Low flow aerator
- 1/2" IPS shank
- Complete with locknut and rosette



SEPARATE CARTRIDGE	PART NUMBER
21333	21800

Quarter Turn Lavatory Faucet

- Not self-closing
- Plumbers Quality
- Chrome plated brass
- Low flow aerator
- Hot or cold cross handle
- 1/2" IPS shank
- Complete with locknut and rosette



PART NUMBER	HANDLE
86805	Hot
86807	Cold

Compliant AB 1953

Push Button Self-Closing Lavatory Faucet

- Economical
- Chrome plated brass
- Low flow aerator
- 1/2" IPS shank
- Complete with locknut and rosette
- Non-adjustable slow close
- Closes in approximately 6 seconds at 60 PSI.



PART NUMBER
21803

Quarter Turn Lavatory Faucet

- Not self-closing
- Plumbers Quality
- Chrome plated brass
- Low flow aerator
- Hot or cold cross handle
- 1/2" IPS shank
- Complete with locknut and rosette



PART NUMBER	HANDLE
21805	Hot
21806	Cold

Self-Closing Lavatory Faucets - Heavy Duty

- New Design**
- Star or lever handle
 - Vandal proof cap and aerator
 - Chrome plated brass
 - 1/2" IPS shank
 - Low flow aereator
 - Complete with locknut and rosette



PART NUMBER	HANDLE STYLE
21931	Star
21932	Lever

Self-Closing Wall Faucets - Heavy Duty

- New Design**
- Star or lever handle
 - Vandal proof cap
 - No aerator
 - Chrome plated brass
 - 1/2" FPT inlet



PART NUMBER	HANDLE STYLE
21936	Star
21937	Lever



Push Button Self-Closing 90 Degree FlushValve with Vacuum Breaker

- Use 1/16" Hex key to adjust slow close timing screw. Adjusts closing time from 3 to 15 seconds
- Plumbers quality
- Chrome plated brass
- 1/2" FPT inlet
- Vacuum breaker with 9" overall length
- Chrome plated brass urinal spud flange with spud nut, washers
- 1/2" IPS wall flange



PART NUMBER	DESCRIPTION
21849	Complete flushvalve WITH vacuum breaker
21850	Valve ONLY with vacuum breaker adapter
21333	Cartridge ONLY
2020	3/4" x 1-1/2" Chrome plated brass valve to vacuum breaker adapter ONLY
980	Spud nut ONLY, with washer
981	Chrome plated brass escutcheon ONLY
982	Spud nut, escutcheon & washer

Push Button Self-Closing 90 Degree FlushValve

- Use 1/16" Hex key to adjust slow close timing screw. Adjusts closing time from 3 to 15 seconds
- Plumbers quality
- Chrome plated brass
- 1/2" FPT inlet
- 3/4" OD x 8" CP brass tailpiece
- Chrome plated brass urinal spud flange with spud nut, washers
- 1/2" IPS wall flange



PART NUMBER	DESCRIPTION
21840	Complete flushvalve LESS vacuum breaker
21845	Valve ONLY with nut & washer
21333	Cartridge ONLY
980	Spud nut ONLY, with washer
981	Chrome plated brass escutcheon & washer
982	Spud nut, escutcheon & washer
997	3/4" OD x 8" CP Brass tube, no threads with washers

Vacuum Breaker with Flush Tailpiece

- Chrome plated brass
- 9" Overall length
- 1-1/2" Top connection
- 3/4" OD flush tube



Made in U.S.A.

PART NUMBER
2022

Repair Kit



PART NUMBER
2025