

**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**



**Couplings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Grooved Coupling Adapter (continued)</b>					
<b>Groove x Socket</b>					
833-020	2	10	80	080	40.62
833-025	2-1/2	5	0	080	87.64
833-030	3	5	0	080	104.48
833-040	4	5	0	080	118.56
833-050F	5	1	7	084	227.59
833-060	6	5	0	080	256.01
833-080F	8	1	4	084	293.57
833-100F	10	1	0	084	360.50
833-120F	12	1	0	084	487.01

**Adapters**

**Female Adapter**

**Socket x Fipt**



835-002	1/4	25	450	080	19.02
835-003	3/8	25	400	080	19.02
835-098	3/4X1/4	25	150	080	9.10
835-005	1/2	25	150	080	10.52
835-007	3/4	25	150	080	15.67
835-010	1	15	90	080	23.05
835-012	1-1/4	10	120	080	37.36
835-015	1-1/2	10	80	080	45.79
835-020	2	10	0	080	79.91
835-025	2-1/2	5	0	080	126.14
835-030	3	5	0	080	141.99
835-040	4	5	0	080	244.09
835-060	6	6	0	080	288.99
835-060F	6	1	8	083	379.51
835-080	8	3	0	080	543.29
835-080F	8	1	6	083	448.57
835-100F	10	1	2	083	491.70
835-120F	12	1	0	083	620.56

**Female Adapter - Brass Transition**

**Socket x Fipt With Brass Thread Insert**



835-005BR	1/2	25	150	086	46.95
835-007BR	3/4	15	90	086	67.45
835-010BR	1	15	90	086	116.20
835-012BR	1-1/4	15	60	086	191.41
835-015BR	1-1/2	10	40	086	251.45
835-020BR	2	8	32	086	311.44

**Not intended to convey or dispense water for human consumption through drinking or cooking**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Female Adapter - Brass Transition Reducing**

**Socket x Fipt With Brass Thread Insert**



835-101BR	3/4X1/2	50	0	086	69.72
835-131BR	1X3/4	50	0	086	118.50

**Not intended to convey or dispense water for human consumption through drinking or cooking**

**Female Adapter - Special Reinforced**

**Socket x SR Fipt - Stainless Steel Collar**



835-002SR	1/4	25	450	086	10.50
835-003SR	3/8	25	300	086	10.50
835-005SR	1/2	25	150	086	5.83
835-007SR	3/4	25	300	086	8.50
835-010SR	1	25	200	086	12.62
835-012SR	1-1/4	10	60	086	20.41
835-015SR	1-1/2	10	80	086	25.13
835-020SR	2	10	0	086	43.87
835-025SR	2-1/2	5	0	086	69.20
835-030SR	3	15	0	086	77.96
835-040SR	4	5	0	086	133.98
835-060SR	6	6	0	086	174.09

**Female Adapter - Special Reinforced Reducing**

**Socket x SR Fipt - Stainless Steel Collar**



835-074SR	1/2X3/4	50	400	086	8.50
835-098SR	3/4X1/4	25	150	086	26.43
835-101SR	3/4X1/2	50	400	086	8.50
835-102SR	3/4X1	50	0	086	12.62
835-130SR	1X1/2	50	0	086	12.62
835-131SR	1X3/4	25	200	086	12.62

**Female Adapter - Stainless Steel Transition**

**Socket x Fipt With 316 Stainless Steel Thread Insert**



**NSF® Certified Lead Free**

835-005SS	1/2	25	150	086	92.03
835-007SS	3/4	15	90	086	132.26
835-010SS	1	15	90	086	225.05
835-012SS	1-1/4	25	0	086	375.81
835-015SS	1-1/2	10	40	086	490.94
835-020SS	2	8	32	086	629.80

**Female Adapter - Encapsulated Special Reinforced**

**Socket x ESR Fipt**



835-002ESR	1/4	25	450	086	15.22
------------	-----	----	-----	-----	-------



**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**

**Adapters**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Female Adapter - Encapsulated Special Reinforced (continued)**

**Socket x ESR Fipt**

835-003ESR	3/8	25	300	086	15.22
835-005ESR	1/2	25	300	086	9.43
835-007ESR	3/4	25	300	086	13.91
835-010ESR	1	25	200	086	18.45
835-012ESR	1-1/4	10	80	086	29.77
835-015ESR	1-1/2	10	80	086	43.01
835-020ESR	2	10	0	086	63.95

**Male Adapter**

**Mipt x Socket**

836-053	3/8X1/2	50	900	080	13.11
836-005	1/2	25	150	080	13.17
836-007	3/4	25	300	080	14.51
836-102	3/4X1	50	0	080	31.03
836-131	1X3/4	50	400	080	31.03
836-010	1	20	120	080	25.10
836-012	1-1/4	10	120	080	29.34
836-015	1-1/2	10	80	080	42.15
836-213 <sup>1</sup>	1-1/2X2	25	0	080	90.90
836-251 <sup>1</sup>	2X1-1/2	10	0	080	111.76
836-020	2	10	80	080	60.95
836-025	2-1/2	10	0	080	69.30
836-030	3	5	0	080	76.89
836-040	4	4	0	080	136.84
836-050F	5	1	8	083	416.00
836-060	6	5	0	080	303.96
836-080F	8	1	2	083	327.72
836-100F	10	1	2	083	392.24
836-120F	12	1	0	083	582.90

<sup>1</sup> Sized With Bushing or Coupling

**Male Adapter - Internal Reinforced**

**R Mipt x Socket - Stainless Steel Sleeve**

NSF® Certified Lead Free

836-005R	1/2	25	150	086	7.21
836-007R	3/4	25	300	086	7.93
836-010R	1	10	60	086	13.88
836-012R	1-1/4	10	120	086	26.21
836-015R	1-1/2	10	120	086	40.52
836-020R	2	10	0	086	57.60

**Male Adapter - PVC Lined Brass Transition**

**Brass Mipt x Socket**

NSF® Certified Lead Free

836-005BR	1/2	40	160	086	51.69
-----------	-----	----	-----	-----	-------

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Male Adapter - PVC Lined Brass Transition (continued)**

**Brass Mipt x Socket**

836-007BR	3/4	40	160	086	77.94
836-010BR	1	10	60	086	126.74
836-012BR	1-1/4	10	40	086	213.50
836-015BR	1-1/2	10	40	086	283.31
836-020BR	2	8	32	086	351.95

**Male Spigot Adapter**

**Spigot x Mipt**

861-005	1/2	50	300	080	13.21
861-007	3/4	25	300	080	19.51
861-010	1	50	0	080	28.81
861-131	1X3/4	50	200	080	29.71
861-012	1-1/4	25	0	080	31.22
861-015	1-1/2	25	0	080	34.89
861-020	2	25	0	080	40.62

**Female Spigot Adapter - Brass Transition**

**Spigot x Fipt With Brass Thread Insert**

878-005BR	1/2	25	150	086	39.50
878-007BR	3/4	15	90	086	63.96
878-010BR	1	15	90	086	125.66

**Not intended to convey or dispense water for human consumption through drinking or cooking**

**Female Spigot Adapter - Special Reinforced**

**Spigot x SR Fipt - Stainless Steel Collar**

878-005SR	1/2	50	600	086	7.68
878-007SR	3/4	25	300	086	9.06
878-010SR	1	50	0	086	13.91
878-012SR	1-1/4	25	0	086	22.17
878-015SR	1-1/2	25	0	086	26.59
878-020SR	2	15	0	086	44.28
878-030SR	3	5	0	086	81.40
878-040SR	4	5	0	086	138.21

**Female Spigot Adapter - Special Reinforced Reducing**

**Spigot x SR Fipt - Stainless Steel Collar**

878-072SR	1/2X1/4	25	450	086	21.35
878-098SR	3/4X1/4	50	400	086	29.40
878-128SR	1X1/4	50	400	086	30.34

**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**



**Adapters**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Female Spigot Adapter - Encapsulated Special Reinforced, Spigot**

**Spigot x ESR Fipt**



878-005ESR	1/2	50	600	086	10.46
878-007ESR	3/4	25	300	086	14.43
878-010ESR	1	50	0	086	19.80
878-012ESR	1-1/4	25	0	086	30.46
878-015ESR	1-1/2	25	0	086	43.24
878-020ESR	2	15	0	086	65.18

**Female Spigot Adapter - Stainless Steel Transition**

**Spigot x Fipt With 316 Stainless Steel Thread Insert**



878-005SS	1/2	25	150	086	92.03
878-007SS	3/4	15	90	086	123.56
878-010SS	1	15	90	086	159.44
878-072SS	1/2X1/4	25	150	086	92.03

**Reducer Bushing**

**Reducer Bushing Flush Style**

**Spigot x Socket**



837-052	3/8X1/4	50	450	080	9.94
837-072	1/2X1/4	50	300	080	9.94
837-073	1/2X3/8	50	600	080	9.94
837-101	3/4X1/2	50	600	080	3.62
837-129 <sup>1</sup>	1X3/8	50	200	080	20.70
837-130	1X1/2	50	300	080	10.40
837-131	1X3/4	50	400	080	10.40
837-166	1-1/4X1/2	25	150	080	16.27
837-167	1-1/4X3/4	25	300	080	16.27
837-168	1-1/4X1	25	150	080	16.27
837-209	1-1/2X1/2	25	200	080	22.16
837-210	1-1/2X3/4	25	200	080	22.16
837-211	1-1/2X1	25	200	080	22.16
837-212	1-1/2X1-1/4	25	200	080	22.16
837-247	2X1/2	10	120	080	31.61
837-248	2X3/4	10	120	080	31.61
837-249	2X1	10	120	080	31.61
837-250	2X1-1/4	10	120	080	31.61
837-251	2X1-1/2	10	120	080	31.61
837-287 <sup>1</sup>	2-1/2X1/2	10	40	080	73.43
837-288 <sup>1</sup>	2-1/2X3/4	10	40	080	73.43
837-289	2-1/2X1	10	40	080	73.43
837-290	2-1/2X1-1/4	10	80	080	54.90
837-291	2-1/2X1-1/2	10	40	080	54.90
837-292	2-1/2X2	15	0	080	54.90

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Reducer Bushing Flush Style (continued)**

**Spigot x Socket**

837-333	3X1/2	10	0	080	101.09
837-334 <sup>1</sup>	3X3/4	10	0	080	97.85
837-335	3X1	10	0	080	87.10
837-336	3X1-1/4	10	0	080	87.10
837-337	3X1-1/2	10	0	080	87.10
837-338	3X2	10	0	080	87.10
837-339	3X2-1/2	15	0	080	87.10
837-415 <sup>1</sup>	4X1/2	6	0	080	154.81
837-416 <sup>1</sup>	4X3/4	6	0	080	154.81
837-417 <sup>1</sup>	4X1	6	0	080	154.81
837-418 <sup>1</sup>	4X1-1/4	6	0	080	154.81
837-419	4X1-1/2	6	0	080	154.81
837-420	4X2	6	0	080	120.59
837-421	4X2-1/2	6	0	080	120.59
837-422	4X3	6	0	080	120.59
837-486 <sup>1</sup>	5X2	3	0	080	135.73
837-488 <sup>1</sup>	5X3	5	0	080	178.74
837-490	5X4	4	0	080	159.31
837-490F	5X4	1	4	083	169.88
837-524 <sup>1</sup>	6X3/4	5	0	080	201.28
837-525 <sup>1</sup>	6X1	5	0	080	191.22
837-526 <sup>1</sup>	6X1-1/4	5	0	080	201.28
837-527 <sup>1</sup>	6X1-1/2	5	0	080	201.28
837-528	6X2	5	0	080	167.67
837-529	6X2-1/2	5	0	080	259.98
837-530	6X3	5	0	080	167.67
837-532	6X4	5	0	080	167.67
837-533F	6X5	1	5	083	545.55
837-534	6X5	5	0	080	167.67
837-577 <sup>1</sup>	8X1-1/2	4	0	080	620.36
837-578 <sup>1</sup>	8X2	4	0	080	587.31
837-580 <sup>1</sup>	8X3	4	0	080	587.31
837-582 <sup>1</sup>	8X4	4	0	080	407.91
837-583 <sup>1</sup>	8X5	2	0	080	593.43
837-583F	8X5	1	6	083	965.54
837-585	8X6	4	0	080	407.91
837-621 <sup>1</sup>	10X2	2	0	081	1135.71
837-622 <sup>1</sup>	10X2-1/2	2	0	081	1237.43
837-623 <sup>1</sup>	10X3	2	0	081	1135.71
837-624 <sup>1</sup>	10X4	1	2	081	1135.71
837-625F	10X5	1	4	083	1479.27
837-626	10X6	3	0	081	958.24
837-628	10X8	3	0	081	958.24
837-628F	10X8	1	6	083	370.59
837-663 <sup>1</sup>	12X3	2	0	081	1683.01
837-664 <sup>1</sup>	12X4	2	0	081	1683.01
837-666 <sup>1</sup>	12X6	1	0	081	1546.24
837-666F <sup>1</sup>	12X6	2	0	083	1088.63
837-668	12X8	2	0	081	1107.40
837-668F <sup>1</sup>	12X8	1	2	083	1053.34
837-670	12X10	2	0	081	1107.40
837-670F	12X10	3	0	083	421.93
837-694F	14X4	1	3	083	2399.94
837-696F	14X6	1	0	083	2136.87